

Boss Welding Curtain

MATERIAL SAFETY DATA SHEET

STATEMENT OF HAZARDOUS NATURE

['Hazardous according to criteria of Worksafe Australia'; or
'Not classified as hazardous according to criteria of Worksafe Australia']

COMPANY DETAILS



Company: Dynaweld Industrial Supplies Pty Ltd
Address: 123 Fairford Road
Padstow NSW 2211
Australia
Phone: (02) 9772 1144
Fax: (02) 9774 1685

IDENTIFICATION

Product Names:	Welding Curtain
Other Names:	None Allocated
UN Number:	None Allocated
Dangerous Goods Class:	None Allocated
And Subsidiary Risk:	None Allocated
Hazchem Code:	None Allocated
Poisons Schedule Number:	None Allocated
Use:	Use with adequate ventilation

PHYSICAL DESCRIPTION & PROPERTIES

Appearance:	Transparent soft sheet, color yellow or green
Boiling Point:	Not Known
Melting Point:	Not Known
Vapour Pressure:	Not Known
Specific Gravity:	Not Known
Flashpoint:	Not Known
Flammability Limits:	Not Known
Solubility in Water:	Not Known
Other Properties:	
Volatile Component Autoignition:	None
Temp:	None

Density:	None
Form:	Soft sheet
Decomposition Temperature:	Not Known
Molecular Weight:	Not Known

INGREDIENTS

Chemical Name	CAS Number	Proportion
Not known	Not known	Not known
Not known	Not known	Not known

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute Effects

Swallowed: Practically harmless, may cause irritation to stoma

Skin: Prolonged skin contact may lead to irritation

FIRST AID

Swallowed: Seek medical advice if effects persist

Skin: Seek medical advice if irritation occurs,
Firstly, rinse skin with water, then wash with soap and water

First Aid Facilities: Shower is recommended

ADVICE TO DOCTOR

[This is for use by medically trained personnel.]

PRECAUTIONS FOR USE

Exposure Standards:	Not applicable
Engineering Controls:	Use with adequate ventilation
Personal Protection:	Wearing the adequate personal protective equipment is recommended. PVC or rubber gloves
Limits:	TLV not established
Flammability:	Will burn if involved in a first but not considered to be significant fire risk

SAFE HANDLING INFORMATION

Storage and Transport:	No special precautions required. Store in a cool place And out of direct sunlight. Store in approved applicators. Preferred storage temperature range is between 5°C and 28°C I.A.T.A. Classification is unrestricted
Spills and Disposal:	Wipe up residue with cloth. Do not rinse with solvent. Dispose in a normal industrial waste bin
Fire/Explosion Hazard:	None Applicable
Extinguishing Media:	None Applicable

CONTACT POINT

Andrew Bosco- Director
Phone: (02) 9772-1144

The information contained in this MSDS is, to the best of our knowledge correct and complete. This MSDS is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. No warranty express or implied is made to the accuracy reliability or completeness of this document.